### **Determination of Rangeland Health**

The Record of Decision (ROD) for the New Mexico Standards for Public Land Health and Guidelines for Livestock Grazing Management (dated January 2001) adopted three Standards for Public Land Health. These are (1) Upland Sites Standard, (2) Biotic Communities, Including Native, Threatened, Endangered, and Special Status Species Standard and (3) Riparian Sites Standard.

The ROD also established a process for the BLM Field Offices for the implementation. Through a public participation process, the Roswell Field Office developed and adopted indicators to use in conjunction with existing monitoring data to assess these Standards.

Field assessment worksheets and other available data which evaluate the local indicators, were completed for this allotment. The indicators that ranked in the "moderate" category should continue to be monitored.

Based on the assessments, it is my determination that the Public Lands within the Otto Brittain Allotment #65094 meet the Upland Sites Standard and (2) Biotic Communities, Including Native, Threatened, Endangered, and Special Status Species Standard. There are no Public Land riparian areas on this allotment, therefore this Standard will not addressed.

/s/ T. R. KREAGER

08/25/2003

Assistant Field Manager

Date

# Standards of Public Land Health Evaluation of 65094 OTTO BRITAIN Allotment [ 11/12/2002 ]

The Roswell Field Office conducted rangeland health assessments at two study sites within OTTO BRITAIN ALLOTMENT 65094. The assessments looked at the Soil/Site Stability, Hydrologic Function and Biotic Integrity indicators within the vicinity of each study site. Existing monitoring data was incorporated into and in support of the field assessment. The summary of each assessment is attached and shown in the following table.

Study Area		UPLAND		BIOTIC	RIPARIAN		
or Assessment Area	Meets	Monitor an Indicator	Meets	Monitor an Indicator	 Meets	Monitor an Indicator	Does Not Meet
65094-EAST COMANCHE- D185	X	*	X	*	N/A		
65094-WEST COMANCHE- D186	X		X		N/A		

Twenty-two (22) indicators for Rangeland Health were evaluated for the Otto Britain allotment; 10 of these assessed met Ranch; 10 of these assessed soil/site stability, 11 assessed hydrologic functions and 13 assessed biotic integrity. These qualitative assessments along with quantitative information from long-term monitoring studies on two study areas on the allotment were utilized to assess the rangeland health of the public land within the allotment. These quantitative evaluations were performed by the Roswell Field office staff starting in the early 1980's. These included ground and vegetative cover and composition, production, frequency, and ecological condition as calculated from these collections which have been scheduled approximately every 5 years.

While drought over the past three years has had an impact on these sites, the assessments of the indicators range from Moderate down to Slight to None. The exception being the presence of invasive plants (prickly pear) both sites. The presence of prickly pear is extensive in both areas but does not appear to be connected with disturbance (at least recent disturbance).

To some extent livestock trailing to and from water and roads are contributing to rill formation on gyp soils on the upper slopes within the East Comanche site. The west part of this site has also been impacted by the activities conducted within the National Guard training area. There are shallow sand inclusions in the northern part of this site that

dominated by creosote. During the field review, the presence of a small prairie dog colony was noted in the vicinity of the water tub in this pasture.

Monitoring will continue on the allotment and the attributes which were rated as Moderate or Moderate/Extreme will continue to be reviewed to detect changes that may occur.

In the professional opinion of the Assessment Team, these sites meet the Standards of Rangeland Health.

**Recommendations:** BLMstaff and allotment operator need to look into the water system problems within this allotment. It is possible that the relocation of water trough in the East pasture could halt the rill development along the upper slope areas.

RFOs	Upland	and Biotic Standa	rd	Asses	sment Si	umm	ary	Workshe	eet
		<b>SITE 65094-EAS</b>	ГС	COMA	ANCHE-	D185			
Legal La	and Desc	NWNW 29 0100S 0260E Meridian 23			Ac	reage	2555	5	
	Ecosite				Photo T	aken	N		
W	atershed	13060007010 GOPHER							
О	bservers	RFO ASSESSMENT TEAM		O	bservation	Date	11/12/2002		
County Soi	l Survey	NM644 CHAVES NORTH			Soil Var/T	Taxad			
Soil N	Iap Unit	HMA		S	oil Taxon l	Name	HOI	LLOMEX	
Textu	ıre Class	NM644 L			Soil l	Phase	HOLLOMEX- REEVES-MILNE		
Texture 1	Modifier	NM644 LOAM,DRY	r						
	Observed Avg Annual Precipitation			Observed Avg Growing Season Precipitation					
	Annual ipitation	12.4	1		NOAA Gro on Precipit		X Z		8.4
NOAA Avg	Annual ipitation	13.1	7		A Avg Gro				10.83
		Livestock grazing in j				tersyst	tem p	problems a	re
Part 2. Att	ributes a	nd Indicators							
					e from Eco ion/Ecolog				
Attribute	Indicato	rs	Ex	atreme	Moderate to Extreme	Mode	erate	Slight to Moderate	None to Slight
S H	Rills					X			
		oads/livestock trails or	ı ur	oper sle	ope areas.				<u> </u>
SH		low Patterns	<u></u>	1	1	X			
		ne with moderate/extr	em	ie				1	
SH		s and/or Terracettes				X			
Comments:				ı					
SH	Bare Gr	ound				X			
<u>I</u>	1		<u> </u>					1	

Comments:	Borderline with slight/moderate	te				
SH	Gullies					X
Comments:						
S	Wind-scoured, Blowouts, and/or Deposition Areas					X
Comments:						
Н	Litter Movement			X		
Comments:						
SHB	Soil Surface Resistance to Erosion				X	
Comments:	Due more to surface texture/cr	ust than	organic ma	itter		
SHB	Soil Surface Loss or Degradation			X		
Comments:						
Н	Plant Community Composition and Distribution Relative to Infiltration and Runoff			X		
Comments:						
SHB	Compaction Layer					X
Comments:						
В	Functional/Structural Groups			X		
Comments:	Grama grass component reduc	ed				
В	Plant Mortality/Decadence					X
Comments:	Less mortality/decadence prob	ably due	to livesto	k grazing		
НВ	Litter Amount			X		
Comments:						
В	Annual Production			X		
Comments:						
В	Invasive Plants				X	
Comments:	Opuntiais heavy in some areas	perhaps	due to pas	t disturban	ces	
В	Reproductive Capability of Perennial Plants			X		
Comments:	Low vigor/pedestaling					
S	Physical/Chemical/Biological Crusts				X	
Comments:	More physical crust					

В	Wildlife Habitat					X		
Comments:		<u> </u>						
В	Wildlife Populations					X		
Comments:								
В	Special Status Species Habitat					X		
Comments:	Small prairie dog colony to the NW in vicinity of water trough							
В	Special Status Species Populations					X		
~								
Comments:								
Comments:								
Part 3. Sun	nmary							
Part 3. Sun A. Indicator attributes be	nmary  Summary - Each of the indicelow. An indicator is placed in Standard Attributes.							
Part 3. Sun A. Indicator attributes be	Summary - Each of the indicelow. An indicator is placed in			s) above an				
Part 3. Sun A. Indicator attributes be each of the Standard Attribute	Summary - Each of the indicelow. An indicator is placed in	a category	y (columns  Moderate to	s) above an	d summed Slight to	None to		
Part 3. Sun A. Indicator attributes be each of the Standard	Summary - Each of the indicelow. An indicator is placed in Standard Attributes.	Extreme	Moderate to Extreme	Moderate	Slight to Moderate	None to Slight		

B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the *Does not Meet* column, Moderate becomes *May Need More Info*, and Slight to Moderate and None to Slight merge to form the *Meets* columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.

Attribute	Rationale	Does Not Meet	May Need More Info	Meets
Soil	Meets but within the lower range, conitue to monitor to detect any changes that may be detrimental to the site.	0	5	5

Hydrologic	Meets but within the lower range, conitue to monitor to detect any changes that may be detrimental to the site.	0	8	3
Biotic	Meets but within the lower range, conitue to monitor to detect any changes that may be detrimental to the site.	0	5	8

Site Notes: Includes the SE trap. To some extent livestock trailing to and from water and roads are contributing to rill formation on gyp soils on the upper slopes within the East Comanche site. The west part of this site has also been impacted by the activities conducted within the National Guard training area. There are shallow sand inclusions in the northern part of this site that dominated by creosote. During the field review, the presence of a small prairie dog colony was noted in the vicinity of the water tub in this pasture.

		SITE 65094-WES	T COM	ANCHE-	D186			
Legal L	and Desc	SENE 26 0100S 0250E Meridian 23		Ac	reage	2504	4	
	Ecosite		i	Photo 7	Гaken	N		
W	atershed	13060007010 GOPHER						
C	bservers	RFO ASSESSMENT TEAM	C	bservation	Date	11/12/2002		
County So	il Survey	NM666 CHAVES SOUTH	Soil Var/Taxad					
Soil I	Map Unit HrC Soil Taxon Name HOLI		LLOMAN					
Text	ure Class	'Ingg  N N/I666 I		LLOMAN- PSUM LAI				
Texture	Modifier	NM666 LOAM						
Observed Avg Annual				Observed Growing S	eason			
	cipitation		7	Precipitation NOAA Growing				
	A Annual cipitation	12.4	.	Season Precipitation		X Z		
NOAA Av	g Annual cipitation	13.1	NOAA Avg Growing Season Precipitation			10.83		
		Livestock present budistribution	t water pr	oblems see	m to b	e lin	niting	
Part 2. Att	ributes a	nd Indicators						
				re from Eco ion/Ecolog	_			
Attribute	Indicato	rs	Extreme	Moderate to Extreme	Mode	rate	Slight to Moderate	None to Sligh
S H	Rills							X
Comments:								
SH	Water F	low Patterns					X	
Comments:	Seem to	be more pronounced	on the gy	py inclusio	ns			
SH	Pedestal	s and/or Terracettes					X	


SH	Bare Ground			X	
Comments:		`			
SH	Gullies				X
Comments:					
S	Wind-scoured, Blowouts, and/or Deposition Areas				X
Comments:					
Н	Litter Movement				X
Comments:					
SHB	Soil Surface Resistance to Erosion				X
Comments:					
SHB	Soil Surface Loss or Degradation				X
Comments:					
Н	Plant Community Composition and Distribution Relative to Infiltration and Runoff				X
Comments:					
SHB	Compaction Layer				X
Comments:					
В	Functional/Structural Groups				X
Comments:					
В	Plant Mortality/Decadence			X	
Comments:	Affects of drought				
НВ	Litter Amount				X
Comments:					
В	Annual Production			X	
Comments:	Based on occular estimate at the	nis time sdy data i	nay be lowe	er	
В	Invasive Plants			X	
Comments:	Opuntia is heavy in some areas disturbances.	s but does not appea	r to be resul	lting from	
В	Reproductive Capability of Perennial Plants				X
Comments:					
S	Physical/Chemical/Biological				X

	Crusts					
Comments:	Biogolical crust are frequent a	nd on bot	h loamy ar	nd gyp area	ıs	
В	Wildlife Habitat					X
Comments:						
В	Wildlife Populations					X
Comments:						
В	Special Status Species Habitat					X
Comments:						
В	Special Status Species Populations					X
Comments:						
Part 3. Sur	nmary					
attributes be	r Summary - Each of the indica elow. An indicator is placed in Standard Attributes.					
Standard			Moderate		C1: 1 4 4	None
						11
Attribute		Extreme	to Extreme	Moderate	Slight to Moderate	to
	Soil	Extreme 0	to	Moderate 0		to
Attribute	Soil Hydrologic		to Extreme		Moderate	to Slight
Attribute S		0	to Extreme	0	Moderate 3	to Slight
Attribute  S H B B. Attribute table above More Info, Values from determinati ID team conlead to the cagreed upon	Hydrologic  Biotic  e Summary. In this table, the Exare merged for the <i>Does not M</i> and Slight to Moderate and Non the table are summarized belown. This space should most certafficts with the summarized validetermination. X out the appropria determination by the ID team.	outreme and outreme to Slight ow. Space tainly be uses. Provoriate box	to Extreme  0  0  d Extreme  nn, Modera th merge to is provide used when ide the sou	to Modera te become of form the determines of inferences o	Moderate  3  3  te columns s May Nee Meets columnale of the ination by formation the street of the s	to Slight 7 8 10 s in the ed arms. the hat al
Attribute  S  H  B  Attribute  B. Attribute table above More Info, Values from determinati ID team con lead to the o	Hydrologic  Biotic  Summary. In this table, the Exare merged for the <i>Does not M</i> and Slight to Moderate and Non the table are summarized belown. This space should most certaflicts with the summarized valdetermination. X out the appropri	outreme and outreme to Slight ow. Space tainly be uses. Provoriate box	to Extreme  0  0  d Extreme  nn, Modera th merge to is provide used when ide the sou	to Modera te become of form the determinates of infettribute to o	Moderate  3  3  te columns is May Nee Meets columnate of the ination by ormation the denote final	to Slight 7 8 10 s in the ed arms.

Hydrologic	0	0	11
Biotic	0	0	13

Site Notes: This site may be one of the better sites representing this soil mapping unit HrC. It could be used as a reference area.

## **Ground Cover Trends**



SROCK
Shrub
LITTER
Grass

BGROUND

### **Report Parameters**

SITE NAME LIKE 65094-EAST COMANCHE-D185

ON/AFTER 10/01/1979 ON/BEFORE 09/30/2001

# **Functional / Structural Groups**

#### **Report Parameters**

SITE NAME LIKE 65094-EAST COMANCHE-D185


ON/AFTER 10/01/1979 ON/BEFORE 09/30/2001

MIN LBS TO GRAPH 3


SELECTED ECOSITE 042CY007NM

Group	Plant Type	Species	Low Wt Allowed	High Wt Allowed	Minimum	Maximum	Average	STDEV
1	Grass	HIMU2	315	360	70.00	2,042.00	442.38	619.68
1	Grass	SCBR2	315	360	3.00	52.00	30.88	18.84
2	Grass	BOER4	225	270	0.00	23.00	9.50	8.14
2	Grass	BOGR2	225	270	0.00	26.00	6.00	7.84
7	Grass	ARIST	27	45	0.00	76.00	15.83	27.50
7	Grass	SPCR	27	45	0.00	22.00	6.00	6.76
9	Grass	MUAR	27	45	0.00	55.00	11.71	18.26
11	Grass	ENDE	9	27	0.00	1.00	0.17	0.37
12	Grass	PAHA	9	18	0.00	125.00	27.00	41.46
15	Grass	TRPI2	0	9	0.00	180.00	35.14	61.43
16	Grass	AAGG	9	27	0.00	11.00	2.67	4.15
16	Grass	MUSQ	9	27	0.00	1.00	0.50	0.50
17	Grass	BOHI2	9	27	0.00	5.00	1.25	2.17
17	Grass	ERPU8	9	27	0.00	8.00	2.20	3.12
17	Grass	PARA2	9	27	0.00	72.00	18.00	31.18
17	Grass	SCPA	9	27	0.00	10.00	2.50	4.33
17	Grass	SPFL2	9	27	0.00	14.00	3.50	6.06
17	Grass	SPNE	9	27	0.00	10.00	1.57	3.46
18	Forb	SPHAE	9	27	0.00	5.00	1.50	2.06
19	Forb	CROTO	9	27	0.00	6.00	1.43	2.13
19	Forb	LESQU	9	27	0.00	4.00	0.80	1.60
19	Forb	PENA	9	27	0.00	2.00	0.50	0.76
21	Forb	ERTE13	9	27	0.00	8.00	2.83	3.18
22	Forb	AAFF	9	27	0.00	13.00	6.33	4.46
22	Forb	CIRSI	9	27	0.00	232.00	58.00	100.46
22	Forb	PECTI	9	27	0.00	136.00	28.20	53.93

Group	Plant Type	Species	Low Wt Allowed	High Wt Allowed	Minimum	Maximum	Average	STDEV
23	Forb	CHAMA8	9	27	0.00	0.00	0.00	0.00
24	Forb	EUPHO	9	27	0.00	1.00	0.25	0.43
24	Forb	MELE2	9	27	0.00	1.00	0.50	0.50
24	Forb	SOEL	9	27	0.00	3.00	0.80	1.17
25	Shrub	EPHED	9	27	0.00	17.00	8.33	6.94
26	Shrub	GUSA2	9	27	0.00	52.00	11.57	17.31
26	Shrub	OPUNT	9	27	0.00	24.00	6.00	9.37
27	Shrub	HAPLO2	9	27	0.00	1.00	0.25	0.43
28	Shrub	PRGL2	0	0	32.00	89.00	60.50	28.50



## **Production Lbs/Acre Trends**



Shrub


Grass
Forb

#### **Report Parameters**

SITE NAME LIKE 65094-EAST COMANCHE-D185

ON/AFTER 10/01/1979 ON/BEFORE 09/30/2001

## **Ground Cover Trends**



SROCK
LROCK
Shrub

LITTER
Grass
Forb

BGROUND

### **Report Parameters**

SITE NAME LIKE 65094-WEST COMANCHE-D186

ON/AFTER 10/01/1979 ON/BEFORE 09/30/2001

# **Functional / Structural Groups**

#### **Report Parameters**

SITE NAME LIKE 65094-WEST COMANCHE-D186


ON/AFTER 10/01/1979 ON/BEFORE 09/30/2001

MIN LBS TO GRAPH 3


SELECTED ECOSITE 042CY007NM

Group	Plant Type	Species	Low Wt Allowed	High Wt Allowed	Minimum	Maximum	Average	STDEV
1	Grass	HIMU2	315	360	42.00	816.00	385.63	256.65
1	Grass	SCBR2	315	360	2.00	60.00	24.00	22.21
2	Grass	BOER4	225	270	0.00	71.00	34.00	27.42
2	Grass	BOGR2	225	270	0.00	22.00	9.00	7.26
4	Grass	MUPO2	9	27	0.00	62.00	15.14	22.08
7	Grass	ARIST	27	45	0.00	11.00	6.33	4.64
7	Grass	SPCR	27	45	0.00	80.00	19.00	25.14
9	Grass	MUAR	27	45	0.00	62.00	16.29	19.90
9	Grass	MUAR2	27	45	0.00	51.00	10.88	16.03
10	Grass	BOBR	9	27	2.00	17.00	11.00	6.48
11	Grass	ENDE	9	27	0.00	16.00	5.71	5.82
12	Grass	PAHA	9	18	0.00	142.00	22.71	48.79
15	Grass	TRPI2	0	9	0.00	62.00	14.20	24.04
16	Grass	AAGG	9	27	0.00	8.00	3.14	3.64
17	Grass	ERPU8	9	27	0.00	5.00	1.57	1.99
17	Grass	PARA2	9	27	0.00	23.00	5.75	9.96
17	Grass	SPFL2	9	27	0.00	3.00	0.75	1.30
17	Grass	SPNE	9	27	0.00	5.00	1.33	1.97
18	Forb	SPHAE	9	27	0.00	1.00	0.17	0.37
19	Forb	PENA	9	27	0.00	7.00	1.83	2.54
21	Forb	ERTE13	9	27	0.00	5.00	1.00	1.69
22	Forb	AAFF	9	27	0.00	41.00	11.00	13.84
23	Forb	CHAMA8	9	27	0.00	8.00	1.60	3.20
24	Forb	EUPHO	9	27	0.00	4.00	1.00	1.73
24	Forb	LEER	9	27	0.00	1.00	0.20	0.40
24	Forb	PPFF	9	27	1.00	4.00	2.50	1.50

Group	Plant Type	Species	Low Wt Allowed	High Wt Allowed	Minimum	Maximum	Average	STDEV
24	Forb	SOEL	9	27	0.00	2.00	1.00	1.00
25	Shrub	EPHED	9	27	0.00	13.00	5.17	4.88
26	Shrub	GUSA2	9	27	0.00	48.00	22.13	15.34
26	Shrub	OPUNT	9	27	0.00	35.00	4.56	10.81
27	Shrub	HAPLO2	9	27	0.00	10.00	2.50	4.33
28	Shrub	PRGL2	0	0	0.00	180.00	53.00	71.27



## **Production Lbs/Acre Trends**



Shrub Grass

Forb

### **Report Parameters**

SITE NAME LIKE 65094-WEST COMANCHE-D186

ON/AFTER 10/01/1979 ON/BEFORE 09/30/2001

